



# NAXONAC® 8104

## SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

Chemical Name	Mixture
Trade name	NAXONAC® 8104
CAS No.	68921-24-4; Alt. 68130-47-2

**Relevant identified uses of the substance or mixture and uses advised against**

Identified use(s)	Surfactant
Uses advised against	None

**Details of the supplier of the safety data sheet**

Company Identification	Catexel Nease LLC 10740 Paddys Run Road Harrison, OH 45030
Telephone	(513) 738-1255
Telephone (Product Information)	(888) 762-7373
Fax	(513) 587-2828
E-Mail (competent person)	techservice@catexel.com

**Emergency telephone number**

Emergency Phone No.	(513) 738-1255 CHEMTREC 24 hr. (800) 424-9300
---------------------	--

### SECTION 2: HAZARDS IDENTIFICATION

**Classification of the substance or mixture**

OSHA HCS (29 CFR 1910.1200)	Skin Corr. 1C; Eye Dam. 1; Met. Corr. 1
-----------------------------	---

**Label elements**

Hazard Symbol

**DANGER**

Signal word(s)

Hazard statement(s)

Causes severe skin burns and eye damage.  
May be corrosive to metals.

Precautionary statement(s)

Do not breathe dust/fume/gas/mist/vapors/spray.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Seek medical treatment.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation (redness, rash, blistering) develops, get medical attention.

**Other hazards**

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

**Additional Information**

None

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredient(s)	%W/W	CAS No.	Hazard statement(s)
C6-12 Alkyl alcohol ethoxylate phosphoric acid	>60 %	68921-24-4 (ALT: 68130-47-2)	Causes severe skin burns and eye damage.
Alcohols, C6-C12, ethoxylated	3 - 7%	68439-45-2	Causes eye irritation. Causes skin irritation. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Orthophosphoric acid	<5%	7664-38-2	May be corrosive to metals. Causes severe skin burns and eye damage.

**Additional Information** – Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Ethylene Oxide (CAS No. 75-21-8) - May accumulate in the head space of drums

## SECTION 4: FIRST AID MEASURES



### Description of first aid measures

Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is laboured, administer oxygen. If symptoms occur obtain medical attention.
Skin Contact	Wash affected skin with plenty of water. Remove contaminated clothing immediately. If irritation (redness, rash, blistering) develops, get medical attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
Ingestion	If ingested, rinse mouth. Do not induce vomiting. Seek medical treatment.
<b>Most important symptoms and effects, both acute and delayed</b>	None
<b>Indication of any immediate medical attention and special treatment needed</b>	None

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing media

-Suitable Extinguishing Media	Extinguish with waterspray, dry chemical, sand or carbon dioxide. Water spray should be used to cool containers.
-Unsuitable Extinguishing Media	None anticipated.

### Special hazards arising from the substance or mixture

None anticipated.

### Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Avoid inhalation of vapours.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Put on protective equipment before entering danger area.

### Environmental precautions

Do not allow to enter drains, sewers or watercourses.

**Methods and material for containment and cleaning up**

Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal or recovery. Wash the spillage area with water. Prevent liquid entering sewers, basements and any watercourses.

**Reference to other sections  
Additional Information**

None  
None

## SECTION 7: HANDLING AND STORAGE

**Precautions for safe handling**

Empty containers may contain residues. Do not use metal containers for storage as the phosphoric acid will react with the metal to liberate flammable hydrogen gas. Do not get in eyes, on skin, or on clothing. This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047.

**Conditions for safe storage, including any incompatibilities**

-Storage Temperature

Do not freeze. This product should be stored at a temperature greater than: 20°C (68°F).

-Incompatible materials

Attacks many materials and clothing. Keep away from oxidising agents. Keep container tightly closed and dry.

**Specific end use(s)**

Surfactant

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

**Occupational exposure limits**

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)		STEL (ppm)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
Phosphoric acid	7664-38-2	1 mg/m <sup>3</sup>	1 mg/m <sup>3</sup> (T)	3 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>	---
Ethylene Oxide*	75-21-8	1 ppm	1 ppm	5 ppm	----	*

\* May accumulate in the headspace of drums. OSHA Action Level = 0.5 ppm as an 8-hour time-weighted average. Refer to OSHA 29 CFR 1910.1047.

**Recommended monitoring method  
Exposure controls**

NIOSH 7908 (Non-Volatile Acids); NIOSH 1614

**Appropriate engineering controls**

Local exhaust required.

**Personal protection equipment**

Eye/face protection



The following to be used as necessary: Goggles giving complete protection to eyes. Full face shield.

Skin protection (Hand protection/ Other)



The following to be used as necessary: Gloves (Neoprene or Natural rubber). Chemical protection suit. Wear safety or chemical resistant shoes or boots. Check with protective equipment manufacturer's data.

Respiratory protection



No personal respiratory protective equipment normally required.

Thermal hazards

Use gloves with insulation for thermal protection, when needed.



# NAXONAC® 8104

Environmental Exposure Controls

Do not allow to enter drains, sewers or watercourses.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Clear / Yellow
Odour	Mild
Odour Threshold (ppm)	Not available.
pH (Value)	< 2 (10% in Water)
Melting Point (°C) / Freezing Point (°C)	Not available.
Boiling point/boiling range (°C):	Not available.
Flash Point (°C)	>93.8 (201 °F)
Evaporation rate	<1
Flammability (solid, gas)	Not applicable.
Explosive limit ranges	Not available.
Vapour Pressure (Pascal)	Not available.
Vapour Density (Air=1)	Not available.
Density (g/ml)	≈1.03 @ 20°C
Solubility (Water)	Soluble.
Solubility (Other)	Not available.
Partition Coefficient (n-Octanol/water)	Not available.
Auto Ignition Temperature (°C)	Not available.
Decomposition Temperature (°C)	Not available.
Kinematic Viscosity (cSt) @ 40°C	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

### Other information

Not available.

## SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity</b>	Stable under normal conditions.
<b>Chemical stability</b>	Stable.
<b>Possibility of hazardous reactions</b>	None anticipated.
<b>Conditions to avoid</b>	Incompatible materials.
<b>Incompatible materials</b>	Strong oxidizers and strong bases
<b>Hazardous Decomposition Product(s)</b>	Carbon monoxide, carbon dioxide, phosphorous compounds

## SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

### Substances in preparations / mixtures

Polyoxyethylene monooleyl ether phosphate (CAS No. 68921-24-4 (ALT: 68130-47-2) - By analogy with similar materials:

<b>Acute toxicity</b>	Oral: LD50 > 2500 mg/kg-bw
<b>Irritation/Corrosivity</b>	Causes serious eye damage. Causes skin irritation.
<b>Sensitization</b>	No information available
<b>Repeated dose toxicity</b>	No information available
<b>Carcinogenicity</b>	No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

<b>Mutagenicity</b>	No information available
<b>Toxicity for reproduction</b>	No information available

Alcohols, C6-C12, ethoxylated (CAS No. 68439-45-2) - By analogy with similar materials:

<b>Acute toxicity</b>	Oral: LD50 > 2500 mg/kg Dermal: LD50 > 1,000 mg/kg
<b>Irritation/Corrosivity</b>	Causes eye irritation. Causes skin irritation.
<b>Sensitization</b>	No information available



# NAXONAC® 8104

Repeated dose toxicity No information available  
 Carcinogenicity No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity No information available  
 Toxicity for reproduction No information available

Orthophosphoric acid (CAS No. 7664-38-2)

Acute toxicity Oral: LD50 = 2600 mg/kg-bw  
 Inhalation: LC50 (1 hour) = 3846 mg/m<sup>3</sup> (rabbit; mice; guinea pigs)  
 Irritation/Corrosivity Corrosive (Skin and Eyes)  
 Sensitization Not available.  
 Repeated dose toxicity NOAEL (42-54 days) <250 mg/kg (rat)  
 Carcinogenicity No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity There is no evidence of mutagenic potential.  
 Toxicity for reproduction NOAEL = 500 mg/kg (rat)

This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047. Ethylene oxide is a known human carcinogen by NTP and a suspected human carcinogen by ACGIH®.

## SECTION 12: ECOLOGICAL INFORMATION

Toxicity - Substances in preparations / mixtures

C6-12 Alkyl alcohol ethoxylate phosphoric acid (CAS No. 68921-24-4 (ALT: 68130-47-2):

Short term No data  
 Long Term No data.  
 Persistence and degradability No data  
 Bioaccumulative potential No data.  
 Mobility in soil Not determined  
 Results of PBT and vPvB assessment Not available.  
 Other adverse effects None known.

Alcohols, C6-C12, ethoxylated (CAS No. 68439-45-2) - By analogy with similar materials:

Short term LC50 (96 hour) = 9.4 mg/l (*Pimephales promelas*)  
 LC50 (48 hour) =14.4 mg/l (*Daphnia magna*)  
 Long Term No data.  
 Persistence and degradability Readily biodegradable.  
 Bioaccumulative potential No data.  
 Mobility in soil Not determined  
 Results of PBT and vPvB assessment Not available.  
 Other adverse effects None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste treatment methods** Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

**Additional Information** None known.

## SECTION 14: TRANSPORT INFORMATION

	Land transport (U.S. DOT)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN number	3265	3265	3265
Proper Shipping Name	Corrosive Liquid, Acidic, Organic, N.O.S (Polyoxyethylene alkyl ether phosphates)	Corrosive Liquid, Acidic, Organic, N.O.S (Polyoxyethylene alkyl ether phosphates)	Corrosive Liquid, Acidic, Organic, N.O.S (Polyoxyethylene alkyl ether phosphates)
Transport hazard class(es)	8	8	8
Packing group	III	III	III
Hazard label(s)	Corrosive	Corrosive	Corrosive
Environmental hazards	No	No	No
Special precautions for user	None known.	None known.	None known.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not established.

## SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: **On active TSCA list**

Canada Domestic Substance List (DSL) - Listed

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Orthophosphoric acid	7664-38-2	<5%	5000

SARA 311/312 - Hazard Categories:

Fire     Sudden Release     Reactivity     Immediate (acute)     Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None	-----	----

SARA 302 - Extremely Hazardous Substances(40 CFR 355):


Chemical Name	CAS No.	Typical %wt.
None	-----	-----

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1

Date of preparation: December 14, 2023

Additional Information:



HMIS (Hazardous Material Information System)



NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Catexel Nease LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Catexel Nease LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.