

# SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

## **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Chemical Name Poly(oxy-1,2-ethanediyl), α-(nonylphenyl)-ω-hydroxy-,

phosphate, ammonium salt

Trade name NAXONAC® 965A

CAS No. 68511-21-7

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) **Emulsion Polymerizations** 

Uses advised against None

Details of the supplier of the safety data sheet

Catexel Nease LLC Company Identification

10740 Paddys Run Road Harrison, OH 45030

(513) 738-1255 Telephone Telephone (Product Information) (888) 762-7373 (513) 587-2828

E-Mail (competent person) techservice@catexel.com

**Emergency telephone number** 

Emergency Phone No. (513) 738-1255

CHEMTREC 24 hr. (800) 424-9300

### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Label elements

Hazard Symbol

Skin Irrit. 2; Eye Irrit. 2b



Signal word(s)

**WARNING** 

Hazard statement(s) Causes skin irritation. Causes eye irritation.

Precautionary statement(s) Wear eye/face protection. Wash hands and exposed skin after use.

> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash

before reuse.

Other hazards Not classified as PBT or vPvB.

**Additional Information** Warning - this preparation contains a substance not yet tested

completely.

Revision: 14 December 2023 Page: 1/6



## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous ingredient(s)	%W/W	CAS No.	Hazard statement(s)
Nonylphenoxypoly(ethyleneoxy)ethyl ester of phosphoric acid, ammonium salt	25 – 27%	68511-21-7	Causes eye irritation.
Aqua ammonia	<1.3%	1336-21-6	Causes severe skin burns and eye damage. Harmful if swallowed. Very toxic to aquatic life.
Water	73 – 75%	7732-18-5	Not applicable.

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Ethylene Oxide (CAS No. 75-21-8) - May accumulate in the head space of drums.

### **SECTION 4: FIRST AID MEASURES**



### Description of first aid measures

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing.

If breathing is laboured, administer oxygen. If breathing has stopped, apply

artificial respiration.

Skin Contact Wash affected skin with plenty of water. Continue to wash the affected area

for at least 15 minutes. If symptoms occur obtain medical attention.

Eye Contact Immediately flush eyes for at least 15 minutes. Hold eye open and rinse

slowly and gently with water. Continue rinsing. Seek medical treatment when

anyone has symptoms apparently due to contact with eyes.

Ingestion Drink two glasses of water. Call a physician. If swallowed, and the victim is

conscious and alert, induce vomiting immediately, as directed by medical

personnel.

Most important symptoms and effects, both

acute and delayed

None

Indication of any immediate medical attention

and special treatment needed

None

## **SECTION 5: FIRE-FIGHTING MEASURES**

**Extinguishing media** 

-Suitable Extinguishing Media Non-combustible. As appropriate for surrounding fire.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

None anticipated.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

**SECTION 6: ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment

and emergency procedures

Put on protective equipment before entering danger area.

Environmental precautions Do not allow to enter drains, sewers or watercourses.

Revision: 14 December 2023 Page: 2/6



Methods and material for containment and

cleaning up

Contain spillages with sand, earth or any suitable adsorbent material.

Transfer to a container for disposal or recovery. Wash the spillage area with

water. If possible prevent water running into sewers.

Reference to other sections
Additional Information

### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling Avoid contact with skin and eyes. This product may contain trace levels of

None

None

Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047.

Conditions for safe storage, including any incompatibilities

-Storage Temperature Above 20° C (68° F). Prevent from freezing.

-Incompatible materials Keep away from oxidising agents. Keep container tightly closed and dry.

Specific end use(s) Emulsion Polymerizations

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control parameters**

Occupational exposure limits

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
Ammonia		50 ppm	25 ppm		35 ppm	
Ethylene Oxide*	75-21-8	1 ppm	1 ppm	5 ppm		*

<sup>\*</sup> May accumulate in the headspace of drums. OSHA Action Level = 0.5 ppm as an 8-hour time-weighted average. Refer to OSHA 29 CFR 1910.1047.

Recommended monitoring method

Electrochemical sensor; NIOSH 1614 (Ethylene Oxide)

**Exposure controls** 

Appropriate engineering controls
Personal protection equipment

Not normally required.

Eye/face protection

ion Wear protective eye glasses for protection against liquid splashes.



Skin protection (Hand protection/ Other)

The following to be used as necessary: Gloves (Neoprene or Natural



Respiratory protection

No personal respiratory protective equipment normally required.



Thermal hazards Use gloves with insulation for thermal protection, when needed.

Environmental Exposure Controls Do not allow to enter drains, sewers or watercourses.

Revision: 14 December 2023 Page: 3/6



## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Liquid

Colour Yellow / Pale brown

Odour Ammonia
Odour Threshold (ppm) Not available
pH (Value) 7 – 8.5

pH (Value) 7 – 8.5

Melting Point (°C) / Freezing Point (°C) 0° C (Water)

Boiling point/boiling range (°C): 100° C (Water)

Flash Point (°C) > 250° C
Evaporation rate Not available
Flammability (solid, gas) Not available
Explosive limit ranges Not available
Vapour Pressure (Pascal) 2266 (Water)
Vapour Density (Air=1) < 1

Density (g/ml) 1.01 at 25° C Solubility (Water) Soluble

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Temperature (°C)

Decomposition Temperature (°C)

Kinematic Viscosity (cSt) @ 40°C

Not available

Not available

Not available

Explosive properties

Oxidising properties

Not explosive.

Not oxidising.

Other information Not available

### SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactionsNone anticipated.Conditions to avoidIncompatible materials.Incompatible materialsReacts with oxidizers.

Hazardous Decomposition Product(s)

Carbon monoxide, Carbon dioxide, Nitrogen oxides

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Exposure routes: Inhalation, Skin Contact, Eye Contact

## Substances in preparations / mixtures

Ammonia aqueous solution (CAS No. 1336-21-6):

Acute toxicity Oral: LD50 = 350 mg/kg (rat)

Irritation/CorrosivityCorrosiveSensitizationNo data.Repeated dose toxicityNo dataCarcinogenicityNo data

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity There is no evidence of mutagenic potential.

**Toxicity for reproduction**No information available

This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047. Ethylene oxide is a known human carcinogen by NTP and a suspected human carcinogen by ACGIH®.

Revision: 14 December 2023 Page: 4/6



## **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity - Substances in preparations / mixtures

Ammonia aqueous solution (CAS No. 1336-21-6)

Short term LC50 = 0.024 - 0.093 mg/l (48 hour) (L. macrochirus) (Bluegill sunfish)

LC50 = 0.974 - 1.97 mg/l (1 week(s)) (I. punctatus)(Channel catfish)

LC50 = 5 - 8 mg/l (24 hour(s))

LC50 = 0.66 mg/l (48 hour) (Daphnia magna)

Long Term No data.

Persistence and degradability

Not readily biodegradable.

Bioaccumulative potential No data.

Mobility in soil No data.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Other adverse effects None known.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

## **SECTION 14: TRANSPORT INFORMATION**

Land transport Sea transport Air transport
(U.S. DOT) (IMDG) (ICAO/IATA)

**UN** number

Proper Shipping Name Transport hazard class(es)

Packing group
Hazard label(s)

Not classified as dangerous for transport

Environmental hazards
Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: On active TSCA list

Canada Domestic Substance List (DSL) - Listed

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Ammonium Hydroxide	1336-21-6	<1.3	1000

### SARA 311/312 - Hazard Categories:

☐ Fire ☐ Sudden Release ☐ Reactivity ☐ Immediate (acute) ☐ Chronic (delayed)

#### SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Ammonium Hydroxide	1336-21-6	<1.3

### SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.
None		

Revision: 14 December 2023 Page: 5/6



## **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1

Date of preparation: December 14, 2023

**Additional Information:** 



HMIS (Hazardous Material Information System)



NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Catexel Nease LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Catexel Nease LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 14 December 2023 Page: 6/6