

NAXONAC[®] T50A

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier **Chemical Name** Trade name CAS No.

Mixture NAXONAC® T50A Mixture

Relevant identified uses of the substance or mixture and uses advised against Identified use(s) Uses advised against None

Details of the supplier of the safety data sheet **Company Identification**

Telephone Telephone (Product Information) Fax E-Mail (competent person)

Emergency telephone number Emergency Phone No.

Surfactant

Catexel Nease LLC 10740 Paddys Run Road Harrison, OH 45030

(513) 738-1255 (888) 762-7373 (513) 587-2828 techservice@catexel.com

(513) 738-1255 CHEMTREC 24 hr. (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Label elements Hazard Symbol

Signal Word(s)

Hazard Statement(s)

Precautionary Statement(s)

Eye Dam. 1; Skin Irrit. 2



DANGER

Causes serious eye damage. Causes skin irritation.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation (redness, rash, blistering) develops, get medical attention.

Not classified as PBT or vPvB.

Additional Information

Other hazards

None



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredient(s)	%W/W	CAS No.	Hazard statement(s)
Polyoxyethylene tridecyl ether phosphate, ammonium salt	<25 %	69029-43-2	Causes serious eye damage Causes skin irritation
Monoammonium phosphate	<0.25%	7722-76-1	Not classified
Diammonium phosphate	<0.25%	7783-28-0	Not classified
Water	70-80%	7732-18-5	Not applicable

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Ethylene Oxide (CAS No. 75-21-8) - May accumulate in the head space of drums.

SECTION 4: FIRST AID MEASURES



Description of first aid measures	
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is laboured, administer oxygen. If symptoms occur obtain medical attention.
Skin Contact	Wash affected skin with plenty of water. Continue to wash the affected area for at least 15 minutes. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
Ingestion	Drink two glasses of water. Call a physician. If swallowed, and the victim is conscious and alert, induce vomiting immediately, as directed by medical personnel.
Most important symptoms and effects, both acute and delayed	None
Indication of any immediate medical attention and special treatment needed	None

SECTION 5: FIRE-FIGHTING MEASURES	
Extinguishing media	
-Suitable Extinguishing Media	Extinguish with waterspray, dry chemical, sand or carbon dioxide. Water spray should be used to cool containers. Do not apply water directly on material.
-Unsuitable Extinguishing Media	None anticipated.
Special hazards arising from the substance or mixture	None anticipated.
Advice for fire-fighters	Fire fighters should wear complete protective clothing including self- contained breathing apparatus. Avoid inhalation of vapours.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment	Put on protective equipment before entering danger area.
and emergency procedures	
Environmental precautions	None anticipated



None

None

Methods and material for containment and cleaning up

Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal or recovery. Wash the spillage area with water. Prevent entry into drains.

Reference to other sections Additional Information

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	Keep container tightly closed and in a well-ventilated place.Empty containers may contain residues. This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047.		
Conditions for safe storage, including any incompatibilities			

-Storage Temperature

This product should be stored at a temperature greater than: 20 °C (68 °F) and less than: 40°C (104°F)

-Incompatible materials

Specific end use(s)

Surfactant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

		LTEL (8 hr TWA ppm)		STEL (ppm)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Ethylene Oxide*	75-21-8	1 ppm	1 ppm	5 ppm		*

Oxidizers and reducing agents.

* May accumulate in the headspace of drums. OSHA Action Level = 0.5 ppm as an 8-hour time-weighted average. Refer to OSHA 29 CFR 1910.1047.

Recommended monitoring method Exposure controls

Local exhaust required.

NIOSH 1614 (Ethylene Oxide)

protection to eyes. Full face shield.

Appropriate engineering controls

Personal protection equipment

Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



rubber). Chemical protection suit. Wear safety or chemical resistant shoes or boots. Check with protective equipment manufacturer's data.

The following to be used as necessary: Gloves (Neoprene or Natural

The following to be used as necessary: Goggles giving complete

No personal respiratory protective equipment normally required.

Thermal hazards

Use gloves with insulation for thermal protection, when needed.

Do not allow to enter drains, sewers or watercourses.

Environmental Exposure Controls



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance
Colour
Odour
Odour Threshold (ppm)
pH (Value)
Melting Point (°C) / Freezing Point (°C)
Boiling point/boiling range (°C):
Flash Point (°C)
Evaporation rate
Flammability (solid, gas)
Explosive limit ranges
Vapour Pressure (Pascal)
Vapour Density (Air=1)
Density (g/ml)
Solubility (Water)
Solubility (Other)
Partition Coefficient (n-Octanol/water)
Auto Ignition Temperature (°C)
Decomposition Temperature (°C)
Kinematic Viscosity (cSt) @ 40°C
Explosive properties
Oxidising properties

Liquid. Clear. Ammonia-like Not available. 6.7-6.9 Not available. Not available. >93 (200 °F) Not available. Not applicable. Not available. < 137.32 (0.1 mmHG) Not available. 1.03 @ 25 °C Soluble. Not available. Not available. Not available. Not available. Not available. Not explosive. Not oxidising. Not available.

Other information

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Incompatible materials.
Incompatible materials	Reacts with -oxidizers, reducing agents, and strong bases
Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide, phosphorous compounds

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Polyoxyethylene tridecyl ether phosphate, ammonium salt (CAS No. 69029-43-2) (By analogy with similar materials)

Acute toxicity	Oral: LD50 > 2000 mg/kg (rat)
Irritation/Corrosivity	Causes serious eye damage. Causes skin irritation.
Sensitization	No information available
Repeated dose toxicity	No information available
Carcinogenicity	No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity

Toxicity for reproduction

No information available No information available

This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047. Ethylene oxide is a known human carcinogen by NTP and a suspected human carcinogen by ACGIH®.



SECTION 12: ECOLOGICAL INFORMATION

No ecotoxic effects are known for this product.

SECTION 13: DISPOSAL CON	SIDERATIONS				
Waste treatment methods		Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.			
Additional Information	None known.				
SECTION 14: TRANSPORT INF	FORMATION				
	Land transport (U.S. DOT)	Sea transport <u>(IMDG)</u>	Air transport <u>(ICAO/IATA)</u>		
UN number Proper Shipping Name Transport hazard class(es) Packing group Hazard label(s) Environmental hazards Special precautions for user	Not classified as dangerous for transport				
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:					
SECTION 15: REGULATORY INFORMATION Safety, health and environmental regulations/legislation specific for the substance or mixture:					
TSCA (Toxic Substance Control Act) - Inventory Status: On active TSCA list Canada Domestic Substance List (DSL) - Listed					
Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):					

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

SARA 311/312 - Hazard Categories:

Fire	Sudden Release	
------	----------------	--

Immediate (acute)

Chronic (delayed)

SARA	313 -	Toxic	Chemicals	(40	CFR	372):
				· · ·		

Chemical Name	CAS No.	Typical %wt.
None		

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Reactivity

Chemical Name	CAS No.	Typical %wt.				
None						

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1

Date of preparation: December 14, 2023

Additional Information:





HMIS (Hazardous Material Information System)



Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Catexel Nease LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Catexel Nease LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.