

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Mixture

Trade name NAXSOFT® 60T

CAS No. Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Surfactant Uses advised against None

Details of the supplier of the safety data sheet

Company Identification Catexel Nease LLC

10740 Paddys Run Road Harrison, OH 45030

Telephone (513) 738-1255
Telephone (Product Information) (888) 762-7373
Fax (513) 587-2828

E-Mail (competent person) techservice@catexel.com

Emergency telephone number

Emergency Phone No. (513) 738-1255

CHEMTREC 24 hr. (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Label elements

Hazard Symbol

Eye Irrit. 2; Skin Irrit. 2



Signal word(s)

Hazard statement(s) Causes serious eye irritation.

Causes skin irritation.

Precautionary statement(s) Wash hands and exposed skin after use.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and

wash it before reuse.

Other hazards Toxic to aquatic life. Toxic to aquatic life with long lasting effects. Not

classified as PBT or vPvB.

Revision: 14 December 2023 Page: 1/6



Additional Information None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard statement(s)
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	55 - 60%	68584-25-8	Causes serious eye irritation. Causes skin irritation. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Triethanolamine sulfate	< 5%	7376-31-0	Not classified as dangerous for supply/use.
Water	40 - 45%	7732-18-5	Not applicable

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing.

If breathing is laboured, administer oxygen. If breathing has stopped, apply

artificial respiration.

Skin Contact Wash with plenty of soap and water. If skin irritation occurs, get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

Ingestion Do not give anything by mouth to an unconscious person. Get medical

advice/attention if you feel unwell. Rinse mouth.

Most important symptoms and effects, both

acute and delayed

None

Indication of any immediate medical attention

and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

-Suitable Extinguishing Media Extinguish with waterspray, dry chemical, sand or carbon dioxide or foam.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

None anticipated.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment

and emergency procedures

Put on protective equipment before entering danger area.

Environmental precautions Prevent entry into drains.

Revision: 14 December 2023 Page: 2/6



Methods and material for containment and

cleaning up

Cover spills with inert absorbent material. Sweep spilled substances into

containers. Transfer to a container for disposal.

Reference to other sections None **Additional Information** None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Do not get in eyes. Wash hands and exposed skin after use. Empty

containers may contain residues.

Conditions for safe storage, including any incompatibilities

-Storage Temperature Keep container tightly closed and dry. This product should be stored at a

temperature greater than: 0°C (32°F). Do not allow material to freeze.

-Incompatible materials Keep away from oxidising agents.

Specific end use(s) Surfactant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

		LTEL (8 hr TWA ppm)		STEL (ppm)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
None						

Recommended monitoring method

Exposure controls

None

Appropriate engineering controls

Not normally required.

Personal protection equipment

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

The following to be used as necessary: Gloves (Neoprene or Natural

rubber).



Respiratory protection No personal respiratory protective equipment normally required.

Avoid generation of mist. An approved dust mask should be worn if

dust/mist is generated during handling.

Thermal hazards

Use gloves with insulation for thermal protection, when needed.

Environmental Exposure Controls None.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Liquid Appearance Colour Clear/Yellow.

Revision: 14 December 2023 Page: 3/6



Odour Faint.Oily
Odour Threshold (ppm) Not available.

pH (Value) 5 - 8

Melting Point (°C) / Freezing Point (°C)

Boiling point/boiling range (°C):

Flash Point (°C)

Not available.

Not available.

>121 (250 °F)

Evaporation rate (butyl acetate=1) <1

Flammability (solid, gas)

Explosive limit ranges

Vapour Pressure (Pascal)

Vapour Density (Air=1)

Not available.

Not available.

Not available.

Density (g/ml) 1.78 (9.0 lbs/gallon) @ 25 °F

Solubility (Water) Soluble Solubility (Other) Not available. Partition Coefficient (n-Octanol/water) Not available. Auto Ignition Temperature (°C) Not available. Decomposition Temperature (°C) Not available. Kinematic Viscosity (cSt) @ 40°C Not available Explosive properties Not available Oxidising properties Not oxidising.

Other information Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactionsNone anticipated.Conditions to avoidIncompatible materials.Incompatible materialsReacts with oxidizers.

Hazardous Decomposition Product(s)

Carbon monoxide, Carbon dioxide, Sulphur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine (CAS No. 68584-25-8) - By analogy with similar materials:

Acute toxicity Oral: LD50 = 2925 mg/kg(rat)

Dermal: LD50 > 2000 mg/kg (rabbit)

Irritation/Corrosivity Causes serious eye irritation. Causes skin irritation.

Sensitization None.

Repeated dose toxicity NOAEL = 40 mg/kg bw/day (rat,in the diet daily for 6 months)

LOAEL = 115 mg/kg bw/day (rat, in the diet daily for 6 months)

Carcinogenicity No data.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity There is no evidence of mutagenic potential.

Toxicity for reproduction NOAEL for parental and offspring generations = 350 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity - Substances in preparations / mixture

Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine (CAS No. 68584-25-8) - By analogy with similar materials:

Revision: 14 December 2023 Page: 4/6



Short term LC50 (96 hour) = 5.7 mg/l (*Brachydanio rerio*) EC50 (96 hour) = 3.5 mg/l (*Daphnia magna*)

ErC50 (72 hour) = 52.8 mg/l (Algae)

EC10 (18 hour) = 55 mg/l (Pseudomonas putida)

Long Term NOEC (196 day) = 0.63 mg/l (Pimephales promelas)

LOEC (21 days)= 2.8 mg/l (Daphnia magna)

Persistence and degradability

Not readily biodegradable.

Bioaccumulative potential The substance has a low potential for bioaccumulation.

Mobility in soil The substance is predicted to have low mobility in soil.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

SECTION 14: TRANSPORT INFORMATION

Land transport Sea transport Air transport
(U.S. DOT) * (IMDG) (ICAO/IATA)

UN number
Proper Shipping Name
Transport hazard class(es)
Packing group
Hazard label(s)
Environmental hazards

Special precautions for user

Not classified as dangerous for transport.

* see footnote

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: On active TSCA list

Canada Domestic Substance List (NDSL/DSL) - Listed DSL

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

	Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)		
	Dodecylbenzenesulfonic acid, triethanolamine salt	27323-41-7	< 18	1000		
9/	SARA 311/312 - Hazard Categories:					

SARA 311/312 - Hazard Categories:

∐ Fire	☐ Sudden Release			☐ Chronic (delayed)
--------	------------------	--	--	---------------------

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None		

SARA 302 - Extremely Hazardous Substances (40 CFR 355):

	,	
Chemical Name	CAS No.	Typical %wt.
None		

Revision: 14 December 2023 Page: 5/6

^{*} Contains a substance with an Reportable Quantity. Containers over 5,500 pounds (2495 kg) will be regulated for transport as UN3082, Environmentally Hazardous Substance, Class 9, Packing Group III, Marine Pollutant placard.



SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1

Date of preparation: December 4, 2023

Additional Information:



HMIS (Hazardous Material Information System)



NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Catexel Nease LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Catexel Nease LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 14 December 2023 Page: 6/6