

# SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Chemical Name Mixture

Trade name NAXSOFT® NA-8

CAS No. Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Surfactant Uses advised against None

Details of the supplier of the safety data sheet

Company Identification Catexel Nease LLC

10740 Paddys Run Road Harrison, OH 45030

Telephone (513) 738-1255
Telephone (Product Information) (888) 762-7373
Fax (513) 587-2828

E-Mail (competent person) techservice@catexel.com

**Emergency telephone number** 

Emergency Phone No. (513) 738-1255

CHEMTREC 24 hr. (800) 424-9300

# **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Label elements

Hazard Symbol

Flam. Liq. 4; Eye Dam. 1; Skin Irrit. 2



Signal word(s) DANGER

Hazard statement(s) Combustible liquid

Causes serious eye damage. Causes skin irritation.

Precautionary statement(s) Keep away from flames and hot surfaces. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

advice/attention.

Other hazards Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Not

classified as PBT or vPvB.

Additional Information None

Revision: 14 December 2023 Page: 1/6



### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous ingredient(s)	%W/W	CAS No.	Hazard statement(s)
Sodium Octane sulfonate	35 - 43%	5324-84-5	Harmful if swallowed. Harmful if inhaled. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Isopropyl alcohol	2 - 5%	67-63-0	Causes serious eye irritation.  May cause drowsiness or dizziness.  Highly flammable liquid and vapour.
Sodium sulfate	1 - 5%	7757-82-6	Not applicable
Water	55 - 60%	7732-18-5	Not applicable

Additional Information - None

# **SECTION 4: FIRST AID MEASURES**



### Description of first aid measures

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing.

If breathing is laboured, administer oxygen. If breathing has stopped, apply

artificial respiration.

Skin Contact Wash affected skin with plenty of water. Continue to wash the affected area

for at least 15 minutes. If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical advice/attention.

Ingestion Drink two glasses of water. Call a physician. If swallowed, and the victim is

conscious and alert, induce vomiting immediately, as directed by medical

personnel.

Most important symptoms and effects, both

acute and delayed

None

Indication of any immediate medical attention

and special treatment needed

None

# **SECTION 5: FIRE-FIGHTING MEASURES**

## **Extinguishing media**

-Suitable Extinguishing Media Extinguish with waterspray, dry chemical, sand or carbon dioxide or foam.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

. mixture None anticipated

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus. Keep containers cool by spraying with water

if exposed to fire.

Revision: 14 December 2023 Page: 2/6



### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment

and emergency procedures

Put on protective equipment before entering danger area.

**Environmental precautions** 

None anticipated.

Methods and material for containment and

cleaning up

Contain spillages with sand, earth or any suitable adsorbent material.

Transfer to a container for disposal or recovery. Wash the spillage area with

water. Prevent entry into drains.

Reference to other sections
Additional Information

None None

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling Keep container tightly closed and in a well-ventilated place. Do not allow

material to freeze.

Conditions for safe storage, including any incompatibilities

-Storage Temperature This product should be stored at a temperature greater than: 16 °C (60.8

°F).

-Incompatible materials Oxidizers

Specific end use(s) Surfactant

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters** 

Occupational exposure limits

		LTEL (8 hr TWA ppm)		STEL (ppm)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Isopropyl alcohol	67-63-0	400 ppm	200 ppm		400 ppm	

Recommended monitoring method

**Exposure controls** 

NIOSH 1400 (alcohols I)

Appropriate engineering controls Not normally required.

Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

The following to be used as necessary: Gloves (Neoprene or Natural rubber).



Respiratory protection No personal respiratory protective equipment normally required.



Thermal hazards

Use gloves with insulation for thermal protection, when needed.

Environmental Exposure Controls Avoid release to the environment.

Revision: 14 December 2023 Page: 3/6



# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Appearance Liquid.

Colour White/Yellowish

Odour Mild

Odour Threshold (ppm)

Not available.

pH (Value) 4 - 6
Melting Point (°C) / Freezing Point (°C) 10° (50°F)

Boiling point/boiling range (°C):

Flash Point (°C)

Not available.

77 (171 °F)

Evaporation rate (butyl acetate=1): <1

Flammability (solid, gas)

Explosive limit ranges

Not available.

Vacour Pressure (Pascal)

Not available

Vapour Pressure (Pascal)Not available.Vapour Density (Air=1)Not available.Density (g/ml)1.104 @ 25 °C

Density (g/ml) 1.104 @ 2
Solubility (Water) Soluble

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Temperature (°C)

Decomposition Temperature (°C)

Kinematic Viscosity (cSt) @ 40°C

Explosive properties

Not available.

Not available.

Not available.

Not explosive.

Oxidising properties Not oxidising.

Other information Not available.

### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactions None anticipated.

Conditions to avoid Incompatible materials. Keep away from fire.

Incompatible materials Reacts with oxidizers.

Hazardous Decomposition Product(s)

Carbon monoxide, Carbon dioxide, Sulphur oxides

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Exposure routes: Skin Contact, Eye Contact
Substances in preparations / mixtures

Sodium Octane sulfonate (CAS No. 5324-84-5) - By analogy with similar materials:

Acute toxicity Oral: LD50 = 1200 mg/kg bw

Dermal: LD50 > 2000 mg/kg

Irritation/Corrosivity Causes serious eye damage. Causes skin irritation.

**Sensitization** It is not a skin sensitiser.

Repeated dose toxicity NOAEL: 488 mg/kg/day (13 weeks, feed, Systemic effects)

LOAEL: 1016 mg/kg/day (13 weeks, feed, Systemic effects)

Carcinogenicity It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity There is no evidence of mutagenic potential.

**Toxicity for reproduction**Not to be expected. NOAEL: >300 mg/kg/day (parental)

NOEL: >300 mg/kg/day (developmental)

Revision: 14 December 2023 Page: 4/6



Isopropanol (CAS# 67-63-0):

Acute toxicity Oral: LD50 > 5.84 g/kg (rat)

Inhalation: > 10000 ppm (rat)

Dermal: LD50 = 16.4 mL/kg (rabbit) 24 hour(s)

May cause drowsiness or dizziness.

Irritation/CorrosivityIrritating to eyes.SensitisationIt is not a skin sensitiser.

Repeated dose toxicity NOAEL = 5,000 ppm (Inhalation)

May cause drowsiness or dizziness.

Carcinogenicity It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity There is no evidence of mutagenic potential.

**Toxicity for reproduction**There is no evidence of toxicity to the reproduction system

#### **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity - Substances in preparations / mixtures

Sodium Octane sulfonate (CAS No. 5324-84-5) - By analogy with similar materials:

Short term LC50 (96 hour): 29 mg/L (Pimephales promelas)

LC50 (48 hour): 5.55 mg/l (Ceriodaphnia dubia, mortality) EC50 (72 hour): >120 mg/l (Desmodesmus subspicatus)

Long Term NOEC (42 days): >1.357 mg/l (Pimephales promelas, Weight)

NOEC (7 days): 0.88 mg/L (Ceriodaphnia dubia, reproduction)

Persistence and degradability

Biodegradable.

Bioaccumulative potential

Not available.

Mobility in soilThe substance has low mobility in soil.Results of PBT and vPvB assessmentNot classified as PBT or vPvB.

Other adverse effects None

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

#### **SECTION 14: TRANSPORT INFORMATION**

 Land transport
 Sea transport
 Air transport

 (U.S. DOT)\*
 (IMDG)
 (ICAO/IATA)

**UN number** NA 1993 Not classified as dangerous for transport.

Proper Shipping Name Combustible liquid, n.o.s. (Contains: Isopropanol)

Transport hazard class(es)

Packing group

Hazard label(s)

Combustible Liquid

Environmental hazards

Environmental hazards No
Special precautions for user None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

\*Not regulated for ground shipments in the U.S. in non-bulk packaging (<119 gallons).

Revision: 14 December 2023 Page: 5/6



### **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: On active TSCA list Canada Domestic Substance List (NDSL/DSL) - Listed DSL

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

#### SARA 311/312 - Hazard Categories:

#### SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None		

#### SARA 302 - Extremely Hazardous Substances(40 CFR 355):

	,	
Chemical Name	CAS No.	Typical %wt.
None		

# **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1

Date of preparation: December 4, 2023

**Additional Information:** 



HMIS (Hazardous Material Information System)



NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Catexel Nease LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Catexel Nease LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 14 December 2023 Page: 6/6