

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Mixture
Trade name NAXAN® 110
CAS No. Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)

Surfactant
Uses advised against

None

Details of the supplier of the safety data sheet

Company Identification Nease Co. LLC

10740 Paddys Run Road Harrison, OH 45030

 Telephone
 (513) 738-1255

 Telephone (Product Information)
 (888) 762-7373

 Fax
 (513) 587-2828

E-Mail (competent person) techservice@neaseco.com

Emergency telephone number

Emergency Phone No. (513) 738-1255

CHEMTREC 24 hr. (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Eye Irrit. 2b

Label elements

Hazard Symbol

Signal word(s)



Hazard statement(s)

Causes eye irritation.

Precautionary statement(s) Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

For professional users only.

Other hazards Not classified as PBT or vPvB.

Additional Information None

Revision: 5 December 2019 Page: 1/6



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard statement(s)
Distillates (petroleum), catalytic reformer fractionator residue, low-boiling, sulfonated,	45-55%	111163-74-7	Causes eye irritation.
sodium salts			-
Butanedioic acid, sulfo-1,4-bis(2-ethylhexyl)	2%	577-11-7	Causes serious eye damage. Causes skin
ester, sodium salt	270	377-11-7	irritation. Toxic to aquatic life.
Water	45-50%	7732-18-5	Not applicable

Additional Information –Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Ethanol (CAS No. 64-17-5) < 0.2

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing.

If breathing is laboured, administer oxygen. If breathing has stopped, apply

artificial respiration.

Skin Contact Wash affected skin with plenty of water. Continue to wash the affected area

for at least 15 minutes. If skin irritation occurs: Get medical advice/attention.

Eye Contact Immediately flush eyes for at least 15 minutes. Hold eye open and rinse

slowly and gently with water. Continue rinsing. If irritation develops and

persists, get medical attention.

Ingestion Drink two glasses of water. Call a physician. If swallowed, and the victim is

conscious and alert, induce vomiting immediately, as directed by medical

personnel.

Most important symptoms and effects, both

acute and delayed

None

Indication of any immediate medical attention

and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

-Suitable Extinguishing Media Extinguish with waterspray, dry chemical, sand or carbon dioxide or foam.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

None anticipated.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment

and emergency procedures

Put on protective equipment before entering danger area.

Environmental precautions None anticipated.

Revision: 5 December 2019 Page: 2/6



Methods and material for containment and

cleaning up

Cover spills with inert absorbent material. Sweep spilled substances into

containers. Transfer to a container for disposal.

Reference to other sections None Additional Information None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handlingDo not get in eyes.

Conditions for safe storage, including any incompatibilities

-Storage Temperature Store in a well-ventilated place. Store at room temperature. Prevent from

freezing. This product should be stored at a temperature greater than: 31°C

(88°F). The product will precipitated at 21°C (70°F).

-Incompatible materials Keep away from oxidising agents. Keep container tightly closed and dry.

Specific end use(s) Surfactant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

		LTEL (8 hr TWA ppm)		STEL (ppm)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Ethanol	64-17-5	1000 ppm			1000 ppm	

Recommended monitoring method

Exposure controls

None

Appropriate engineering controls Not normally required.

Personal protection equipment

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

in protection (Hand protection/ Other)

The following to be used as necessary: Gloves (Neoprene or Natural

rubber).

Respiratory protection

No personal respiratory protective equipment normally required.



Thermal hazards Use gloves with insulation for thermal protection, when needed.

Environmental Exposure Controls Do not allow to enter drains, sewers or watercourses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Liquid.

Colour Amber to Brown

Revision: 5 December 2019 Page: 3/6



Odour Mild Aromatic.

 $\begin{array}{ll} \mbox{Odour Threshold (ppm)} & \mbox{Not available.} \\ \mbox{pH (Value)} & 7.0 - 10.5 \\ \mbox{Melting Point (°C) / Freezing Point (°C)} & \mbox{Not available.} \end{array}$

Boiling point/boiling range (°C):

Flash Point (°C)

Evaporation rate (butyl Acetate)

100 (212 °F)

121 (250 °F)

41

Flammability (solid, gas)

Explosive limit ranges

Not applicable.

Not available.

Vapour Pressure (Pascal)

Approximately that of water.

Vapour Density (Air=1) Not available.

Density (g/ml)

1.15-1.25 @26 °C (78°F)

Solubility (Water)

Solubility (Other)

Completely Soluble

Not available.

Partition Coefficient (n-Octanol/water)

Auto Ignition Temperature (°C)

Decomposition Temperature (°C)

Kinematic Viscosity (cSt) @ 40°C

Explosive properties

Not available

Oxidising properties

Not oxidising.

Other information Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactionsNone anticipated.Conditions to avoidIncompatible materials.Incompatible materialsReacts with oxidizers.

Hazardous Decomposition Product(s)

Carbon monoxide, Carbon dioxide, Sulphur oxides,

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Distillates (petroleum), catalytic reformer fractionator residue, low-boiling, sulfonated, sodium salts (111163-74-7) - By analogy with

similar materials:

 Acute toxicity
 Oral: LD50 > 2000 mg/kg-bw

 Irritation/Corrosivity
 Causes eye irritation.

 Sensitization
 No information available

 Repeated dose toxicity
 No information available

 Carcinogenicity
 No information available

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

 Mutagenicity
 No information available

 Toxicity for reproduction
 No information available

SECTION 12: ECOLOGICAL INFORMATION

Toxicity - Substances in preparations / mixtures

Distillates (petroleum), catalytic reformer fractionator residue, low-boiling, sulfonated, sodium salts (111163-74-7)

Short term No information available Long Term No information available

Persistence and degradability This product is predicted to degrade in soil and water.

Revision: 5 December 2019 Page: 4/6



Bioaccumulative potential Mobility in soil Results of PBT and vPvB assessment Other adverse effects

The product is predicted to have low mobility in soil. Not classified as PBT or vPvB.

The product has low potential for bioaccumulation.

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

SECTION 14: TRANSPORT INFORMATION

Land transport Sea transport Air transport (U.S. DOT) (IMDG) (ICAO/IATA)

UN number

Proper Shipping Name Transport hazard class(es)

Packing group Hazard label(s)

Environmental hazards Special precautions for user Not classified as dangerous for transport

☐ Chronic (delayed)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: On active TSCA list

Canada (DSL/NDSL)

- -Listed NDSL: Distillates (petroleum), catalytic reformer fractionator residue, low-boiling, sulfonated, sodium salts
- Listed DSL: Butanedioic acid, sulfo-1,4-bis(2-ethylhexyl) ester, sodium salt

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

	Chemical Name		CAS No.	Typical %wt.	RQ (Pounds)
	None				
SA	ARA 311/312 - Hazard Categories:				
	☐ Fire ☐ Sudden Release	☐ Reactivi	tv 🖂 Immed	iate (acute)	Chronic (delayed)

☐ Fire	☐ Sudden Release	☐ Reactivity
SARA 313 -	Toxic Chemicals (40 CF	R 372):

Chemical Name	CAS No.	Typical %wt.		
None				

SARA 302 - Extremely Hazardous Substances (40 CFR 355):

Chemical Name	CAS No.	Typical %wt.
None		

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 3, 11, 12, 15


Date of preparation: December 5, 2019

Revision: 5 December 2019 Page: 5/6



Additional Information:







NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 5 December 2019 Page: 6/6