

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name	Poly(oxy-1,2-ethanediyl), α-(nonylphenyl)-ω-hydroxy-, phosphate, ammonium salt
Trade name	NAXONAC® 965A
CAS No.	68511-21-7

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)	Emulsion Polymerizations
Uses advised against	None

Details of the supplier of the safety data sheet

Company Identification	Nease Co. LLC 10740 Paddys Run Road Harrison, OH 45030
Telephone	(513) 738-1255
Telephone (Product Information)	(888) 762-7373
Fax	(513) 587-2828
E-Mail (competent person)	techservice@neaseco.com

Emergency telephone number

Emergency Phone No.	(513) 738-1255 CHEMTREC 24 hr. (800) 424-9300
---------------------	--

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)	Skin Irrit. 2; Eye Irrit. 2b
-----------------------------	------------------------------

Label elements

Hazard Symbol



WARNING

Signal word(s)

Hazard statement(s)

Causes skin irritation.
Causes eye irritation.

Precautionary statement(s)

Wear eye/face protection. Wash hands and exposed skin after use.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Other hazards

Not classified as PBT or vPvB.

Additional Information

Warning - this preparation contains a substance not yet tested completely.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredient(s)	%W/W	CAS No.	Hazard statement(s)
Nonylphenoxypoly(ethyleneoxy)ethyl ester of phosphoric acid, ammonium salt	25 – 27%	68511-21-7	Causes eye irritation.
Aqua ammonia	<1.3%	1336-21-6	Causes severe skin burns and eye damage. Harmful if swallowed. Very toxic to aquatic life.
Water	73 – 75%	7732-18-5	Not applicable.

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Ethylene Oxide (CAS No. 75-21-8) - May accumulate in the head space of drums.

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is laboured, administer oxygen. If breathing has stopped, apply artificial respiration.
Skin Contact	Wash affected skin with plenty of water. Continue to wash the affected area for at least 15 minutes. If symptoms occur obtain medical attention.
Eye Contact	Immediately flush eyes for at least 15 minutes. Hold eye open and rinse slowly and gently with water. Continue rinsing. Seek medical treatment when anyone has symptoms apparently due to contact with eyes.
Ingestion	Drink two glasses of water. Call a physician. If swallowed, and the victim is conscious and alert, induce vomiting immediately, as directed by medical personnel.
Most important symptoms and effects, both acute and delayed	None
Indication of any immediate medical attention and special treatment needed	None

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

- Suitable Extinguishing Media Non-combustible. As appropriate for surrounding fire.
- Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or mixture

None anticipated.

Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Put on protective equipment before entering danger area.

Environmental precautions

Do not allow to enter drains, sewers or watercourses.

Methods and material for containment and cleaning up

Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal or recovery. Wash the spillage area with water. If possible prevent water running into sewers.

**Reference to other sections
Additional Information**

None
None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047.

Conditions for safe storage, including any incompatibilities

- Storage Temperature Above 20° C (68° F). Prevent from freezing.
- Incompatible materials Keep away from oxidising agents. Keep container tightly closed and dry.

Specific end use(s)

Emulsion Polymerizations

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

SUBSTANCE.	CAS No.	(8hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
Ammonia	-----	50 ppm	25 ppm	-----	35 ppm	-----
Ethylene Oxide*	75-21-8	1 ppm	1 ppm	5 ppm	----	*

* May accumulate in the headspace of drums. OSHA Action Level = 0.5 ppm as an 8-hour time-weighted average. Refer to OSHA 29 CFR 1910.1047.

Recommended monitoring method

Electrochemical sensor; NIOSH 1614 (Ethylene Oxide)

Exposure controls

Appropriate engineering controls

Not normally required.

Personal protection equipment

Eye/face protection

Wear protective eye glasses for protection against liquid splashes.



Skin protection (Hand protection/ Other)

The following to be used as necessary: Gloves (Neoprene or Natural rubber).



Respiratory protection

No personal respiratory protective equipment normally required.



Thermal hazards

Use gloves with insulation for thermal protection, when needed.

Environmental Exposure Controls

Do not allow to enter drains, sewers or watercourses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellow / Pale brown
Odour	Ammonia
Odour Threshold (ppm)	Not available
pH (Value)	7 – 8.5
Melting Point (°C) / Freezing Point (°C)	0° C (Water)
Boiling point/boiling range (°C):	100° C (Water)
Flash Point (°C)	> 250° C
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Explosive limit ranges	Not available
Vapour Pressure (Pascal)	2266 (Water)
Vapour Density (Air=1)	< 1
Density (g/ml)	1.01 at 25° C
Solubility (Water)	Soluble
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not determined
Auto Ignition Temperature (°C)	Not available
Decomposition Temperature (°C)	Not available
Kinematic Viscosity (cSt) @ 40°C	Not available
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Other information	Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Incompatible materials.
Incompatible materials	Reacts with oxidizers.
Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide, Nitrogen oxides

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Ammonia aqueous solution (CAS No. 1336-21-6):

Acute toxicity	Oral: LD50 = 350 mg/kg (rat)
Irritation/Corrosivity	Corrosive
Sensitization	No data.
Repeated dose toxicity	No data
Carcinogenicity	No data

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	No information available

This product may contain trace levels of Ethylene oxide (CAS No. 75-21-8), which may accumulate in the head space of containers. Establish monitoring systems for exposure assessment to comply with OSHA standard 29 CFR 1910.1047. Ethylene oxide is a known human carcinogen by NTP and a suspected human carcinogen by ACGIH®.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity - Substances in preparations / mixtures

Ammonia aqueous solution (CAS No. 1336-21-6)

Short term	LC50 = 0.024 – 0.093 mg/l (48 hour) (L. macrochirus) (Bluegill sunfish) LC50 = 0.974 – 1.97 mg/l (1 week(s)) (I. punctatus)(Channel catfish) LC50 = 5 – 8 mg/l (24 hour(s)) LC50 = 0.66 mg/l (48 hour) (Daphnia magna)
Long Term	No data.
Persistence and degradability	Not readily biodegradable.
Bioaccumulative potential	No data.
Mobility in soil	No data.
Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
Other adverse effects	None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.
Additional Information	None known.

SECTION 14: TRANSPORT INFORMATION

	<u>Land transport</u> <u>(U.S. DOT)</u>	<u>Sea transport</u> <u>(IMDG)</u>	<u>Air transport</u> <u>(ICAO/IATA)</u>
UN number			
Proper Shipping Name			
Transport hazard class(es)			
Packing group			
Hazard label(s)		Not classified as dangerous for transport	
Environmental hazards			
Special precautions for user			

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: **On active TSCA list**

Canada Domestic Substance List (DSL) - Listed

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Ammonium Hydroxide	1336-21-6	<1.3	1000

SARA 311/312 - Hazard Categories:

Fire Sudden Release Reactivity Immediate (acute) Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Ammonium Hydroxide	1336-21-6	<1.3

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.
None	-----	----

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 15

Date of preparation: July 24, 2019

Additional Information:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
Personal Protection	B 

HMIS (Hazardous Material Information System)



NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.