

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Sodium xylenesulfonate
Trade name NAXONATE® 4LOF
CAS No. 1300-72-7

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Hydrotope
Uses advised against None

Details of the supplier of the safety data sheet

Company Identification Nease Co. LLC

10740 Paddys Run Road Harrison, OH 45030

 Telephone
 (513) 738-1255

 Telephone (Product Information)
 (888) 762-7373

 Fax
 (513) 587-2828

E-Mail (competent person) techservice@neaseco.com

Emergency telephone number

Emergency Phone No. (513) 738-1255

CHEMTREC 24 hr. (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200) Eye Irrit. 2b

Label elements

Hazard Symbol

Signal word(s)



Hazard statement(s)

Causes eye irritation.

Precautionary statement(s) Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye $\,$

irritation persists: Get medical advice/attention.

Other hazards Not classified as PBT or vPvB.

Additional Information None.

Revision: 9 June 2014 Page: 1/6



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredient(s)	%W/W	CAS No.	Hazard statement(s)
Sodium xylenesulfonate	>40%	1300-72-7	Causes eye irritation.
Sodium sulfate	<2%	7757-82-6	None
Water	<60%	7664-93-9	None

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing.

If breathing is laboured, administer oxygen. If breathing has stopped, apply

artificial respiration.

Skin Contact Wash affected skin with plenty of water. Continue to wash the affected area

for at least 15 minutes.

Eye Contact Immediately flush eyes for at least 15 minutes. Hold eye open and rinse

slowly and gently with water. Continue rinsing. Seek medical treatment when

anyone has symptoms apparently due to contact with eyes.

Ingestion Drink two glasses of water. Call a physician. If swallowed, and the victim is

conscious and alert, induce vomiting immediately, as directed by medical

personnel.

Most important symptoms and effects, both

acute and delayed

None

Indication of any immediate medical attention

and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

-Suitable Extinguishing Media Extinguish with waterspray, dry chemical, sand or carbon dioxide.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

None anticipated.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment

and emergency procedures

Put on protective equipment before entering danger area.

Environmental precautions

Do not allow to enter drains, sewers or watercourses.

Methods and material for containment and

Contain spillages with sand, earth or any suitable adsorbent material.

cleaning up

Transfer to a container for disposal or recovery. Wash the spillage area with

water. If possible prevent water running into sewers.

Reference to other sections None Additional Information None

Revision: 9 June 2014 Page: 2/6



SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Do not get in eyes.

Conditions for safe storage, including any incompatibilities

-Storage Temperature Store at room temperature. Prevent from freezing. This product should be

stored at a temperature greater than: 10°C (50°F). The product will

precipitated at 0°C (32°F).

-Incompatible materials Keep away from oxidising agents. Keep container tightly closed and dry.

Specific end use(s) Hydrotope

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

		LTEL (8 hr TWA ppm)		STEL (ppm)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
None						

Recommended monitoring method

Exposure controls

None

Appropriate engineering controls Not normally required.

Personal protection equipment

Eye/face protection

Wear protective eye glasses for protection against liquid splashes.



Skin protection (Hand protection/ Other)

The following to be used as necessary: Gloves (Neoprene or Natural

rubber).

Respiratory protection

No personal respiratory protective equipment normally required.

Thermal hazards Use gloves with insulation for thermal protection, when needed.

Environmental Exposure ControlsDo not allow to enter drains, sewers or watercourses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Liquid

Colour Colourless to yellowish

Odour Mild

Odour Threshold (ppm) Not available.

pH (Value)
7-9
Melting Point (°C) / Freezing Point (°C)
10-15
Boiling point/boiling range (°C):
101

Flash Point (°C) >121 (>250 °F) [Open cup]

Revision: 9 June 2014 Page: 3/6



<1

Evaporation rate <1 (butyl acetate=1). Flammability (solid, gas) Not applicable.

Explosive limit ranges

Vapour Pressure (Pascal)

Not available.

2266 (17 mm Hg)

Vapour Density (Air=1)

Density (g/ml)

1.16 @ 25°C

Solubility (Water)

Solubility (Other)

Partition Coefficient (n-Octanol/water)

1.16 @ 25°C

Completely Soluble

Not available.

Partition Coefficient (n-Octanol/water)

Auto Ignition Temperature (°C)

Not availal 490

Decomposition Temperature (°C)

Kinematic Viscosity (cSt) @ 40°C

Explosive properties

Oxidising properties

Not explosive.

Not oxidising.

Other information Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactionsNone anticipated.Conditions to avoidIncompatible materials.Incompatible materialsReacts with oxidizers.

Hazardous Decomposition Product(s)

Carbon monoxide, Carbon dioxide, Sulphur oxides,

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

sodium xylenesulphonate (CAS# 1300-72-7):

Acute toxicity Oral: LD50 > 16200 mg/kg-bw

Dermal: LD50 > 2000 mg/kg-bw

Inhalation: LC50 > 6.41 mg/l 232 min,rat (By analogy with similar

materials)

Irritation/Corrosivity Causes eye irritation.

Sensitization (By analogy with similar materials) It is not a skin sensitizer.

Repeated dose toxicity (By analogy with similar materials) NOAEL: > 763 active ingredient/kg bw/day (in diet for 90 days, in

diet, rat)

Carcinogenicity (By analogy with similar materials)

It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity (By analogy with similar materials)

There is no evidence of mutagenic potential.

Toxicity for reproduction (By analogy with similar materials) None anticipated

Revision: 9 June 2014 Page: 4/6



SECTION 12: ECOLOGICAL INFORMATION

Toxicity - Substances in preparations / mixtures

sodium xylenesulphonate (CAS 1300-72-7) - (By analogy with similar materials):

Short term LC50 (96 hour): > 1000 mg/L (Oncorhynchus mykiss) (By analogy with

similar materials)

EC50 (48 hour): >40.3 mg/l (Daphnia magna, mobility)

EC50 (96 hour): > 230 mg/l (Pseudokirchnerella subcapitata) (By analogy

with similar materials)

Long Term Scientifically unjustified

Persistence and degradability Readily biodegradable

Bioaccumulative potential Not available.

Mobility in soil Not available.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

SECTION 14: TRANSPORT INFORMATION

Land transport Sea transport Air transport (U.S. DOT) (IMDG) (ICAO/IATA)

Not classified as dangerous for transport

UN number

Proper Shipping Name Transport hazard class(es)

Packing group

Hazard label(s)
Environmental hazards
Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt. Canada Domestic Substance List (DSL) - Listed

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

SARA 311/312 - Hazard Categories:

☐ Fire ☐ Sudden Release ☐ Reactivity ☐ Immediate (acute) ☐ Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None		

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.
None		

Revision: 9 June 2014 Page: 5/6



SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: June 9, 2014

Additional Information:



HMIS (Hazardous Material Information System)



NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Nease Co. LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Nease Co. LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 9 June 2014 Page: 6/6